

## 過去の発表論文

---

### 2017年

Structural Insights into the CotB2-catalyzed Cyclization of Geranylgeranyl Diphosphate to the Diterpene Cyclooctat-9-en-7-ol.

T. Tomita, S-Y. Kimu, K. Teramoto, A. Meguro, T. Ozaki, A. Yoshida, Y. Motoyoshi, N. Mori, K. Ishigami, H. Watanabe, M. Nishiyama, T. Kuzuyama, *ACS Chem. Biol.*, **12**, 1621-1628 (2017).

Synthesis of (-)-okundoperoxide and determination of the absolute configuration of natural (+)-okundoperoxide.

N. Mori, D. Sakoda, H. Watanabe, *Tetrahedron Lett.*, **58**, 3884-3886 (2017).

### 2016年

Electrochemical asymmetric dimerization of cinnamic acid derivatives and application to the enantioselective syntheses of furofuran lignans.

N. Mori, A. Furuta, H. Watanabe, *Tetrahedron*, **72**, 8393-8399 (2016).

Synthesis of (-)-Chamobtusin A from (+)-Dehydroabietylamine.

N. Mori, K. Kuzuya, H. Watanabe; *J. Org. Chem.*, **81**, 11866-11870 (2016).

Stereoselective synthesis of (±)-urechitol A employing [4+3] cycloaddition.

T. Sumiya, K. Ishigami, H. Watanabe; *Tetrahedron*, **72**, 6982-6987 (2016).

## 2015 年

Asymmetric Formal Synthesis of Azadirachtin.

N. Mori, T. Kitahara, K. Mori, H. Watanabe; *Angew. Chem. Int. Ed.*, **54**, 14920-14923 (2015).

Synthesis and revision of the relative configuration of glabramycin B.

K. Ishigami, M. Yamamoto, H. Watanabe; *Tetrahedron Lett.*, **56**, 6290-6293 (2015).

キラリティを有する天然生理活性物質の合成研究.

K. Ishigami, T. Kato, S. Wakamori, H. Kageji, H. Watanabe; *Annual Report 2014 (Cryogenic Research Center, The University of Tokyo)*, **6**, 39-44 (2015).

Synthesis of marine oxylipin topsentolide A1 and its stereoisomers, and determination of the absolute configuration of the natural product.

K. Ishigami, M. Kobayashi, M. Takagi, K. Shin-ya, H. Watanabe; *Tetrahedron*, **71**, 8436-8443 (2015).

Synthesis of ( $\pm$ )-(Z)-2 $\beta$ -hydroxy-14-hydro- $\beta$ -santalol employing tandem radical cyclization.

K. Ishigami, S. Yamada, H. Watanabe; *Tetrahedron Lett.*, **56**, 5816-5819 (2015).

## 2012 年

Total synthesis of ( $\pm$ )-lysidicin A.

Y. Ogura, K. Ishigami, H. Watanabe; *Tetrahedron*, **68**, 1723-1728 (2012).

## 2011 年

Asymmetric Synthesis and Sensory Evaluation of Sedanenolide .

D. Oguro, H. Watanabe; *Biosci. Biotechnol. Biochem.*, **75**, 1502-1505 (2011).

Synthesis and sensory evaluation of all stereoisomers of sedanolide .

D. Oguro, H. Watanabe; *Tetrahedron*, **67**, 777-781 (2011).

Synthesis and anti-migrative evaluation of moverastin derivatives.

M. Sawada, S. Kubo, K. Matsumura, Y. Takemoto, H. Kobayashi, E. Tashiro, T. Kitahara,

H. Watanabe, M. Imoto; *Bioorg. Med. Chem. Lett.*, **21**, 1385-1389 (2011).

## 2010 年

Determination of the absolute configuration of marine oxylipin topsentolide A<sub>1</sub> by the synthesis of the enantiomer of the natural product.

M. Kobayashi, K. Ishigami, H. Watanabe; *Tetrahedron Lett.*, **51**, 2762-2764 (2010).

Determination of the absolute configuration of nodulisporacid A by the concise synthesis of four stereoisomers via three-component reaction and one-pot construction of the framework.

T. Sumiya, K. Ishigami, H. Watanabe; *Tetrahedron Lett.*, **51**, 2765-2767 (2010).

Stereoselective Total Synthesis of (±)-Urechitol A.

T. Sumiya, K. Ishigami, H. Watanabe; *Angew. Chem. Int. Ed.*, **49**, 5527-5528 (2010).

Efficient construction of the core framework of lysidicin A via three Claisen rearrangements including a cascade reaction .

Y. Ogura, H. Watanabe; *Tetrahedron Lett.*, **51**, 3294-3296 (2010).

Spliceostatin A blocks angiogenesis by inhibiting global gene expression including VEGF.

R. Furumai, K. Uchida, Y. Komi, M. Yoneyama, K. Ishigami, H. Watanabe, S. Kojima, M. Yoshida; *Cancer Sci.*, **101**, 2483-2489 (2010).

Synthesis of (2*RS*,8*R*,10*R*)-YM-193221 and an improved approach to tyroscherin, bioactive natural compounds from *Pseudallescheria sp.*

R. Katsuta, A. Yajima, K. Ishigami, T. Nukada, H. Watanabe; *Biosci. Biotechnol. Biochem.*, **74**, 2056-2059 (2010).

Synthesis of (±)-Chamobtusin A by a Presumed Biomimetic Aza-Cyclization.

K. Kuzuya, N. Mori, H. Watanabe; *Org. Lett.*, **12**, 4709-4711 (2010).

## 2009 年

Enantioselective synthesis of phomallenic acid C by In- and Pd-mediated *anti*-S<sub>N</sub>2' coupling.

T. Kato, K. Ishigami, K. Akasaka, H. Watanabe; *Tetrahedron*, **65**, 6953-6958(2009).

Physically Discrete beta-Lactamase-Type Thioesterase Catalyzes Product Release in Atrochryson Synthesis by Iterative Type I Polyketide Synthase

T. Awakawa, K. Yokota, N. Funa, F. Doi, N. Mori N, H. Watanabe, S. Horinouchi, *Chem. & Biol.*, **16**, 613-623 (2009).

Synthetic Studies of Natural 10-Membered Lactones, Mueggelone, Microcarpalide, and Sch 642305, Which Have Interesting Bioactivities.

K. Ishigami; *Biosci. Biotechnol. Biochem.*, **73**, 971-979 (2009).

Synthesis and Structure Revision of Tyroscherin, and Bioactivities of Its Stereoisomers Against IGF-1-Dependent Tumor Cells.

K. Ishigami, R. Katsuta, C. Shibata, Y. Hayakawa, H. Watanabe and T.

Kitahara; *Tetrahedron*, **65**, 3629-3638 (2009).

## 2008 年

Synthesis and Structure Revision of Tyroscherin, a Growth Inhibitor of IGF-1-dependent Tumor Cells.

R. Katsuta, C. Shibata, K. Ishigami, H. Watanabe and T. Kitahara; *Tetrahedron Lett.*, **49**, 7042-7045 (2008).

Synthesis of FF8181-A.

N. Kobayashi, H. Kuniyoshi, K. Ishigami and H. Watanabe; *Biosci. Biotechnol. Biochem.*, **72**, 2708-2715(2008).

Incorporation and remodeling of extracellular phosphatidylcholine with short acyl residues in *Saccharomyces cerevisiae*.

K. Tanaka, R. Fukuda, Y. Ono, H. Eguchi, S. Nagasawa, Y. Nakatani, H. Watanabe, H. Nakanishi, R. Taguchi and A. Ohta; *Biochim. Biophys. Acta.*, **1781**, 391-399 (2008).

Enantioselective Synthesis of Phomallenic Acid C, an Inhibitor of FAS II Pathway.

K. Ishigami, T. Kato, K. Akasaka and H. Watanabe; *Tetrahedron Lett.*, **49**, 5077-5079 (2008).

## 2007 年

Inhibition of splicing and nuclear retention of pre-mRNA by spliceostatin A in fission yeast.

C.-W. Lo, D. Kaida, S. Nishimura, A. Matsuyama, Y. Yashiroda, H. Taoka, K. Ishigami, H. Watanabe, H. Nakajima, T. Tani, S. Horinouchi and M. Yoshida; *Biochem. Biophys. Res. Commun.*, **364**, 573-577 (2007).

Absolute Structure of Prunustatin A, a Novel GRP78 Molecular Chaperone Down-Regulator.

Y. Umeda, K. Furihata, S. Sakuda, H. Nagasawa, K. Ishigami, H. Watanabe, M. Izumikawa, M. Takagi, T. Doi, Y. Nakao and K. Shin-ya; *Org. Lett.*, **9**, 4239-4242 (2007).

Revision of the stereochemistries of natural products through the synthetic study: synthesis of fudecalone and kaitocephalin.

H. Watanabe and T. Kitahara; *Yuki Gosei Kagaku Kyokaishi*, **65**, 511-519 (2007).

Biosynthesis of  $\gamma$ -butyrolactone autoregulators that switch on secondary metabolism and morphological development in *Streptomyces*.

J. Kato, N. Funa, H. Watanabe, Y. Ohnishi and S. Horinouchi; *Proc. Natl. Acad. Sci. USA*, **104**, 2378-2383 (2007).

Spliceostatin A targets SF3b and inhibits both splicing and nuclear retention of pre-mRNA.

D. Kaida, H. Motoyoshi, E. Tashiro, T. Nojima, M. Hagiwara, K. Ishigami, H. Watanabe, T. Kitahara, T. Yoshida, H. Nakajima, T. Tani, S. Horinouchi and M. Yoshida; *Nature Chem. Biol.*, **3**, 576-583 (2007).

Synthetic study towards azadirachtin: an efficient and stereoselective construction of the AB rings with full functionality.

H. Watanabe, N. Mori, D. Itoh, T. Kitahara and K. Mori; *Angew. Chem. Int. Ed.*, **46**, 1512-1516 (2007).

Synthesis of an Insecticidal Tetrahydroisocoumarin, (3*R*,4*S*,4*aR*)-4,8-Dihydroxy-3-methyl-3,4,4*a*,5-tetrahydro-1*H*-2-benzopyran-1-one.

K. Uchida, K. Ishigami, H. Watanabe and T. Kitahara; *Tetrahedron*, **63**, 1281-1287 (2007).

Synthesis of (-)-Mellein, (+)-Ramulosin and Related Natural Products.

Md. S. Islam, K. Ishigami and H. Watanabe; *Tetrahedron*, **63**, 1074-1079 (2007).

## 2006 年

Synthesis of gerfelin and related analogous compounds.

Md. S. Islam, M. Kitagawa, M. Imoto, T. Kitahara and H. Watanabe; *Biosci. Biotechnol.*

*Biochem.*, **70**, 2523-2528 (2006).

Simple synthesis of enantiomerically pure sauriols A and B.

N. Mori, H. Watanabe and T. Kitahara; *Biosci. Biotechnol. Biochem.*, **70**, 1750-1753

(2006).

Simple and efficient asymmetric synthesis of furofuran lignans yangambin and

caruilignan A.

N. Mori, H. Watanabe and T. Kitahara; *Synthesis*, 400-404 (2006).

Stereoselective Synthesis of Sch 642305, an Inhibitor of Bacterial DNA Primase.

K. Ishigami, R. Katsyta and H. Watanabe; *Tetrahedron*, **62**, 2224-2230 (2006).

Total synthesis of FR901464: second generation.

H. Motoyoshi, M. Horigome, H. Watanabe and T. Kitahara; *Tetrahedron*, **62**, 1378-1389

(2006).

Enantioselective total synthesis of (2*R*,3*R*,6*R*)-*N*-Methyl-6-(deca-1',3',5'-trienyl)-3-methoxy-2-methylpiperidine, an insecticidal alkaloid.

Y. Nakatani, J. Oshita, K. Ishigami H. Watanabe and T. Kitahara; *Tetrahedron*, **62**, 160-

165 (2006).



## 2005 年

Stereoselective Synthesis of Microcarpalide.

K. Ishigami H. Watanabe and T. Kitahara; *Tetrahedron*, **61**, 7546-7553 (2005).

Prunustatin A, a novel GRP78 molecular chaperone down-regulator isolated from *Streptomyces violaceoniger*.

Y. Umeda, S. Chijiwa, K. Furihata, K. Furihata, S. Sakuda, H. Nagasawa, H. Watanabe, K. Shin-ya; *J. Antibiot.*, **58**, 206-209 (2005).

## 2004 年

An Odorant Derivative as an Antagonist for an Olfactory Receptor.

Y. Oka, A. Nakamura, H. Watanabe and K. Touhara; *Chem. Senses*, **29**, 815-822 (2004).

Structure-activity Relationship for FR901464: A Versatile Method for the Conversion and Preparation of Biologically Active Biotinylated Probes.

H. Motoyoshi, M. Horigome, K. Ishigami, T. Yoshida, S. Horinouchi, M. Yoshida, H. Watanabe and T. Kitahara; *Biosci. Biotechnol. Biochem.*, **68**, 2178-2182 (2004).

Structure of tyroscherin, an antitumor antibiotic against IGF-1-dependent cells from *Pseudallescheria* sp.

Y. Hayakawa, T. Yamashita, T. Mori, K. Nagai, K. Shin-Ya, H. Watanabe; *J. Antibiot.*, **57**, 634-638 (2004).

Short-step Synthesis of Chenodiol from Stigmasterol.

T. Uekawa, K. Ishigami and T. Kitahara; *Biosci. Biotechnol. Biochem.*, **68**, 1332-1337(2004).

Synthesis of Microcarpalide, a Microfilament Disrupting Agent.

K. Ishigami and T. Kitahara; *Heterocycles*, **63**, 785-790 (2004).